CONTENTS

- Overview Magnets in medicine
 M. A. Riley, A. D. Walmsley, J. D. Speight, and I. R. Harris
- 13 Phase transformations and phase equilibria in Ti-25V-N system at 1200°C A. Kroupa, J. Buršik, M. Svobodova, J. K. Chen, and G. C. Weatherly
- 21 Effect of processing parameters on shear bands in non-isothermal hot forging of Ti-6Al-4V M. Tamizifar, H. Omidvar, S. Mohammad Taghi Salehi, Z. Salehpour, and K. Khoshkalam
- 30 . Influences of tungsten and molybdenum additions on the microstructure and mechanical properties of Fe₃Al based alloys X. O. Yu and Y. D. Sun
- 35 Effect of nickel on microstructure and mechanical properties of heat affected zone of low carbon steel M. Eroğlu and M. Aksoy
- 41 Effect of chromium on microstructure and toughness of intercritical heat affected zone of low carbon steel M. Eroğlu, M. Aksoy, and T. I. Khan
- 47 Influence of accelerated cooling on microstructure and mechanical properties of C-Mn steels X. Fang, Z. Fan, B. Ralph, P. Evans, and R. Underhill
- 54 Effects of deformation and heating temperature on the austenite transformation to pearlite in high alloy tool steels V. M. Khlestov, E. V. Konopleva, and H. J. McQueen
- 61 Change of fracture mode in Charpy toughness transition temperature range F. Vodopivec, B. Breskvar, B. Arzenšek, D. Kmetič, and J. Vojvodič-Tuma
- 68 Diffusion bonding between Ti-6Al-4V alloy and microduplex stainless steel with copper interlayer M. Eroğlu, T. I. Khan, and N. Orhan
- 73 Effect of grain boundary orientation and cyclic load on creep and fracture behavior in directionally solidified nickel base superalloy
 C. Yuan, J. T. Guo, and H. C. Yang
- 81 Recrystallisation behaviour of a twin roll cast commercial aluminium-1% manganese alloy after cold rolling A. Olguin-Sandoval and E. S. Puchi-Cabrera
- 87 Cavity formation during high temperature deformation in 3YTZP/Al₂O₃ composites containing 20-60 wt-%Al₂O₃ S. Tekeli
- 92 Synthesis and recyclability of a magnesium based composite using an innovative disintegrated melt deposition technique L. P. Soon and M. Gupta
- 99 Interfacial morphology and strength of Al₂O₃/Nb joint brazed with Cu-Ti-Zr Filler metal Z.-S. Yu, M.-F. Wu, C. Liang, F.-J. Wang, and K. Qi
- 103 Effect of omitting small sectioned particles with limited cross-sectional area on characterisation of secondary phase particles J. Takahashi and H. Suito
- 111 Short communication Oxidation behaviour of Ti6Al4V titanium alloy in oxygen M. N. Mungole, N. Singh, and G. N. Mathur
- 115 Short communication Comparison of measured and calculated thicknesses of martensite and ledeburite shells around graphite nodules in the hardened layer after laser surface remelting
 J. Grum and R. Šturm
- 119 Overview Electron backscatter diffraction and cracking A.-F. Gourgues
- 134 Evaluation of activation parameters by Reed-Hill model V. Sagar Dwivedi and B. K. Jha
- 139 Precipitate nucleation: does capillarity theory work? M. J. Stowell
- 145 Effects of hot deformation and accelerated cooling on microstructural evolution of low carbon microalloyed steels J.-B. Qu, Y.-Y. Shan, M.-C. Zhao, and K. Yang
- 151 Effect of finish rolling temperature on static recrystallisation in hot bands of electrical steel containing 1.3% silicon L. Chang and Y.-S. Hwang
- 160 Prediction of dynamic recystallisation behaviour of AISI type 4140 medium carbon steel S.-I. Kim and Y.-C. Yoo
- 165 Hall-Petch behaviour of 316L austenitic stainless steel at room temperature K. K. Singh, S. Sangal, and G. S. Murty
- 173 Microstructure and properties of monotectic Cr-Cu cast irons B. A. Kirievsky, P. C. King, and E. V. Pereloma
- 179 Inverse method for parameter optimisation in superalloy tertiary creep equations M. A. Rist and R. C. Reed
- 187 Microstructure, and mechanical and thermal properties of CuSn/FeCr_p metal matrix composites processed by powder metallurgy O. Yilmaz and H. Turhan
- 193 Effect of shot peening on fatigue performance of ductile iron castings S. Ji, K. Roberts, and Z. Fan
- 198 Damping capacity of sand cast magnesium alloy AZ91
 S. Erchov, W. Riehemann, P. Gabor, K. Eigenfeld, and O. Podobed

- 201 Study of electrical and thermal properties of Al_{100-x}Li_x A. Gaber, N. Afify, M. S. Mostafa, and S. Bin Anooz
- 207 Effects of α_2 lamellae on deformation and fracture in fully lamellar TiAl based alloys Y. H. Lu, J. P. Wang, Y. G. Zhang, and C. Q. Chen
- 212 New model of microstructural evolution during isothermal forging of Ti-6Al-4V titanium alloy M.-Q. Li and A.-M. Xiong
- 215 Simulation of three-dimensional transient temperature field during laser bending of sheet metal D.-J. Chen, S.-C. Wu, Y.-B. Xiang, and M.-Q. Li
- 219 Dynamic recrystallisation phenomena of commercial purity aluminium by friction welding S. Fukumoto, H. Tsubakino, M. Aritoshi, T. Tomita, and K. Okita
- 226 Conductivity and percolation in epoxy resin/conductive filler composites G. M. Tsangaris and M. C. Kazilas
- 231 Technical note Identification of damage tolerance of Ti₃SiC₂ by hardness indentations and single edge notched beam test S.-B. Li, L.-F. Cheng, and L.-T. Zhang
- 237 Modelling of rheological behaviour of semisolid metal slurries Part 1 – Theory J. Y. Chen and Z. Fan
- 243 Modelling of rheological behaviour of semisolid metal slurries Part 2 – Steady state behaviour Z. Fan and J. Y. Chen
- 250 Modelling of rheological behaviour of semisolid metal slurries Part 3 – Transient state behaviour J. Y. Chen and Z. Fan
- 258 Modelling of rheological behaviour of semisolid metal slurries
 Part 4 Effects of particle morphology
 Z. Fan and J. Y. Chen
- 268 Aging effects on transformation temperatures of cold worked Ni-52 at.-%Ti shape memory alloy H. F. Lopez and A. Salinas Rodriguez
- 273 In situ study of martensitic transformation and nucleation and propagation of cracks in Cu-Ni-Al shape memory alloy Y. H. Lu, L. J. Qiao, and W. Y. Chu
- 279 Very strong low temperature bainite
 F. G. Cabellero, H. K. D. H. Bhadeshia, K. J. A. Mawella, D. G. Jones, and P. Brown
- 285 Effect of temper rolling on tensile properties of C-Mn steels X. Fang, Z. Fan, B. Ralph, P. Evans, and R. Underhill
- 289 Formation of acicular ferrite and influence of vanadium alloying K. He and D. V. Edmonds
- 297 Ferrite/pearlite band formation in hot rolled medium carbon steel
 S. E. Offerman, N. H. van Dijk, M. Th. Rekveldt, J. Sietsma, and S. van der Zwaag
- 304 Cracking and deformation of surface scale during hot rolling of steel Y. H. Li and C. M. Sellars
- 312 Out of roundness distortion of bearing rings owing to internal stresses from tube bending A. Thuvander
- 319 Development of structural steels with fire resistant microstructures W. Sha, F. S. Kelly, P. Browne, S. P. O. Blackmore, and A. E. Long
- 326 Pack aluminisation kinetics of nickel rods and foams D. C. Dunand, A. M. Hodge, and C. Smith
- 333 Effect of thermal treatments on mechanical behaviour of thixoformed magnesium alloy J. J. Blandin, D. Giunchi, M. Suéry, and E. Evangelista
- 341 Interfacial microstructure of Al₂O₃/Ti-6Al-4V joint brazed with (Ag₇₂Cu₂₈)₉₇Ti₃ filler metal M.-F. Wu, Z.-S. Yu, C. Liang, F.-J. Wang, and K. Qi
- 345 Preparation of nanostructured CeO₂ coated TiO₂ M. Zhang, X. Wang, F. Wang, and W. Li
- 349 High temperature fatigue crack growth in powder processed nickel based superalloy U720Li A. Tucker, M. B. Henderson, A. J. Wilkinson, N. J. Hide, and P. A. S. Reed
- 355 Literature review Metallurgy and processing of ultralow carbon bake hardening steels L. J. Baker, S. R. Daniel, and J. D. Parker
- 369 Effect of martensite content, its dispersion, and epitaxial ferrite content on Bauschinger behaviour of dual phase steel M. Erdogan and R. Priestner
- 377 Modelling of precipitation kinetics and age hardening of Fe-12Ni-6Mn maraging type alloy Z. Guo, W. Sha, and E. A. Wilson
- 383 Effect of aging treatments and microstructural evolution on corrosion resistance of tungsten substituted 2205 duplex stainless steel Y. S. Ahn, J. M. Kim, and B. H, Jeong
- 389 Effect of manganese on the recrystallisation kinetics of niobium microalloyed steel S.-H. Cho, K.-B. Kang, and J. J. Jonas
- 396 Transient liquid phase bonding of a microduplex stainless steel using amorphous interlayers T. I. Khan, N. Orhan, and M. Eroglu
- **401** Wear behaviour of ZnAl27/TiC_p metal matrix composites under sliding conditions O. Yilmaz and H. Turhan

- 407 Mechanism of post-weld heat treatment cracking of Rene 80 nickel based superalloy L. C. Lim, J.-Z. Yi, N. Liu, and Q. Ma
- 413 Cyclic overaging heat treatment for ductility and weldability improvement of nickel based superalloys L. C. Lim, J.-Z. Yi, N. Liu, and Q. Ma
- 420 Cyclic overaging pre-weld heat treatment of Rene 80: effect of solution treatment and end aging tempeartures L. C. Lim, J.-Z. Yi, N. Liu, and Q. Ma
- 429 Martensitic transformation kinetics and shape memory effect in Co-Ni Alloys H.-C. Shin, S.-H. Lee, J.-H. Jun, and C.-S. Choi
- 433 Microstructure and creep resistance of Mg-10Zn-4Al-0.15Ca permanent moulding alloy Z. Zhang, R. Tremblay, and D. Dubé
- 438 Effect of inverted pressurisation profile on deformation characteristics of 5083 aluminium alloy during superplastic forming H.-Y. Wu, S. Lee, and J.-Y. Wang
- 445 Densification and crystallisation behaviour of Si-B-O-N ceramics prepared by hot pressing with organic precursors J. B. Zhang, T. Q. Lei, G. W. Wen, D. C. Jia, and Y. Zhou
- 449 Kinking in niobium
 C. Y. Chan, C. N. Reid, and B. J. Duggan
- 458 Dissolution and precipitation kinetics of γ' in nickel base superalloy Udimet 520 M. Jahazi and 'A. R. Mashreghi
- 463 Measurement of physical and mechanical properties of beeswax J. Morgan, S. Townley, G. Kemble, and R. Smith
- 468 Short communication Fatigue crack growth rate in welds of WDL610D steel L. Wang and X. Chen

Papers from the conference 'Metal matrix composites VIII'

- 473 Foreword
- 474 Adaptation of aluminium foam properties by means of precipitation hardening D. Lehmhus, J. Banhart, and M. A. Rodriguez-Perez
- 480 Inertia effects in uniaxial dynamic compression of a closed cell aluminium alloy foam P. J. Tan, J. J. Harrigan, and S. R. Reid
- 489 Mechanical analysis and microstructural characterisation of metal foams A.-H. Benouali, L. Froven, J. F. Delerue, and M. Wevers
- 495 Matrix chemistry optimisation of Al/Altex composites preserving both fibres and matrix alloy integrity S. Vaucher, O. Beffort, S. Long, C. Cayron, and P. Buffat
- 501 Effect of elevated temperature on ultimate tensile strength and failure model of short carbon fibre reinforced magnesium composite
 M. Russel-Stevens, D. C. Plane, J. Summerscales, P. Schulz, and M. Papakyriacou
- 507 Hot workability and processing maps of aluminium based discontinuously reinforced composites M. Vedani, E. Gariboldi, and F. D'Errico
- 515 Creep behaviour of AA 6061 allay and AA 6061 metal matrix composite G. Requena, D. Telfser, C. Hörist, and H. P. Degischer
- 522 Metal matrix composite reinforced with co-continuous Al-Al2O3 fibres produced in situ by reaction of an aluminium matrix with fossil SiO₂ spicules
 E. de Napole Gregolin and H. Goldenstein
- 529 Quantification of precipitation kinetics and age hardening of Fe-12Ni-6Mn alloy during overaging Z. Guo and W. Sha
- 534 Evaluation and review of simultaneous transformation model in high strength low alloy steels F. G. Caballero, C. Capdevila, and C. Garcia des Andres
- 541 Mechanism of bake hardening in ultralow carbon steel containing niobium and titanium additions L. T. Baker, J. D. Parker, and S. R. Daniel
- 548 Dynamic materials modelling and finite element simulation of titanium alloy turbine disc forging N. Srinivasan and N. Ramakrishnan
- 554 Tensile damage stages in cast A356-T6 aluminium alloy R. Doglione, J. L. Douziech, C. Berdin, and D. François
- 563 Effect of restoration on hot ductility of high alloy and duplex stainless steels J. I. Kömi and L. P. Karjalainen
- 571 Reinvestigation on dynamic materials model analysis of 99.94% purity aluminium S. V. S. Narayana Murty and B. Nageswara Rao
- 575 Effect of excimer laser surface treatment on corrosion behaviour of aluminium alloy 6013 C. P. Chan, T. M. Yue, and H. C. Man
- 581 High strain rate superplasticity and deformation mechanisms of powder metallurgy 6061 Al/SiC_p composites X. J. Li and M. J. Tan
- 586 Effects of addition of TiN nanoparticles on microstructure and mechanical properties of TiC based cermets N. Liu, Y.-D. Xu, H. Li, Z.-H. Li, Y. Zhao, G.-H. Li, and L. Zhang
- 591 Overview Interaction between surfactants and gelatin in aqueous solutions P. C. Griffiths and A. Y. F. Cheung

- 600 Scaling analysis of momentum, heat, and mass transfer in binary alloy solidification problems S. Chakraborty and P. Dutta
- 607 Predicting recrystallised volume fraction in aluminium alloy 7050 hot rolled plate J. D. Robson and P. B. Prangnell
- 615 Lateral deformation during hot flat rolling of aluminium alloys T. Sheppard and X. Duan
- 621 Bending in aluminium alloys AA 6111 and AA 5754 using the cantilever bend test D. J. Lloyd, D. Evans, C. Pelow, P. Nolan, and M. Jain
- 629 Effect of shot peening on fatigue fracture for an as quenched martensitic steel N. Iwata, Y. Tomota, K. Katahira, and H. Suzuki
- 633 Synthesis of Al/SiC based functionally gradient materials using technique of gradient slurry disintegration and deposition: effect of stirring speed
 S. M. L. Nai and M. Gupta
- 642 Improvement of spring fatigue strength by warm stress double shot peening process
 A. Tange and K. Ando
- 649 Effect of nitrogen content on simulated heat affected zone toughness of titanium containing thermomechanically controlled rolled steel K.-S. Bang and H.-S. Jeong
- 655 Neural network model of creep strength of austenitic stainless steels T. Sourmail, H. K. D. H. Bhadeshia, and D. J. C. MacKay
- 664 Influence of composition on crack sensitivity of ferritic stainless steel L. Barbé, I. Bultinck, L. Duprez, and B. C. de Cooman
- 673 Simulation and experiment of curve irradiated laser bending process of titanium alloy sheets D.-J. Chen, Y.-B. Xiang, S.-C. Wu, and M.-Q. Li
- 677 Application of fuzzy neural network to laser bending process of sheet metal D.-J. Chen, Y.-B. Xiang, S.-C. Wu, and M.-Q. Li
- 681 Photoactivity test for TiO₂ pigment photocatalysed polymer degradation D. A. Worsley and R. J. Searle
- 685 Atomic force microscopy of plastically deformed polyethylene subjected to tensile deformation at varying strain rates A. Dasari, S. J. Duncan, and R. D. K. Misra
- 691 Revealing and characterising solidification structure of ductile cast iron G. Rivera, R. Boeri, and J. Sikora
- 698 Effects of isothermal heating procedure and strontium addition on semisolid forming of AZ91 magnesium alloy J.-M. Kim, K.-T. Kim, and W.-J. Jung
- 702 Short communication Behaviour in torsion of superelastic NiTi

Papers from the 3rd Euroconference on Nanoscience for Nanotechnology

- 710 Titania surface structures for directed growth of metal nanoparticles via metal vapour deposition and metalorganic chemical vapour deposition R. A. Bennett, M. A. Newton, R. D. Smith, J. Evans, and M. Bowker
- 717 Lithographic tools for producing patterned films composed of gas phase generated nanocrystals F. Otten, U. Auer, F. E. Kruis, W. Prost, F. J. Tegude, and H. Fissan
- 721 Formation and overgrowth of $\sqrt{3}x\sqrt{3}$ -R30° boron surface phases on Si(111) T. Stimpel, H. E. Hoster, J. Schulze, H. Baumgärtner, and I. Eisele
- 725 Charging dynamics in vertically aligned InAs quantum dots R. J. Luyken, A. Lorke, G. Medeiros Ribeiro, and P. M. Petroff
- 729 Interactions of self-organised discotic liquid crystals with ultrathin metal films
 A. Pecchia, R. W. Kelsall, B. Movaghar, A. Bourlange, S. D. Evans, B. J. Hickey, and N. Boden
- 733 Electronic properties of functional nanocrystal layers for non-volatile memory applications P. Coli and G. lannoccone
- 736 Modelling of trap assisted tunnelling through thin dielectric layers G. Iannaccone
- 739 Simulation of growth of porous SiO_x nanostructures V. M. Burlakov, Y. Tsukahara, G. A. D. Briggs, and A. P. Sutton
- 743 Application of focused ion beam system to micro and nanoengineering R. M. Langford, A. K. Petford-Long, M. Rommeswinkle, and S. Egelkamp
- 749 Conjugated polymer chains self-assembly: a new method to generate (semi)-conducting nanowires? Ph. Leclère, A. Calderone, K. Müllen, J. L. Brédas, and R. Lazzaroni
- 755 Scanning tunnelling microscopy investigations of nanostructures on single crystalline TiO₂ and CeO₂ H. Nörenburg
- 759 Phase separation in polyfluorene blends investigated with complementary scanning probe microscopies R. G. Milner, A. C. Arias, R. Stevenson, J. D. Mackenzie, D. Richards, R. H. Friend, D.-J. Kang, and M. Blamire
- 763 In vivo nanoscale atomic force microscopy investigation of diatom adhesion properties

 C. Gebeshuber, J. D. Thompson, Y. Del Amo, H. Stachelberger, and J. H. Kindt
- 767 Nanostructured porous silicon for gas sensor applications
 G. Di Francia, M. Della Noce, V. La Ferrara, L. Lancellotti, P. Morvillo, and L. Quercia

- 777 Hot plastic deformation of aluminium alloy 2009–15%SiC_w composite R. Kaibyshev, V. Kazyhanov, and F. Musin
- 787 Failure behaviour of an ultra high strength low alloy steel
 B. S. V. Rama Sarma, P. K. Govindan Potti, and B. Nageswara Rao
- 799 Grain coarsening behaviour under small plastic strain in hot working of BS 304S31 stainless steel Y. Neishi and M. Akiyama
- 804 One-dimensional predictive model for estimation of interfacial heat transfer coefficient during solidification of cast iron N. Narayan Prabhu and W. D. Griffiths
- 811 Microstructural evolution on continuous casting of nickel based superalloy Inconel 713C F. Zupanič, T. Bončina, A. Križman, and F. D. Tichelaar
- 820 Comparison of flow behaviour and microstructure and texture development of aluminium alloy A356 in semisolid state submitted to two different thermomechanical treatments
 A. M. Kliauga and M. Ferrante
- 827 Measurement of mechanical properties of multilayer coatings by nanoindentation P. Hancock, M. F. Vales da Silva, and J. R. Nicholls
- 831 Shot peening process: modelling, verification, and optimisation R. W. Evans
- 840 Surface carburised AISI 8620 steel with dual phase core microstructure M. Erdogan, S. Tekeli, O. Pamuk, and A. Erkan
- 845 Effect of mean stress on residual stress relaxation in steel specimens M. Lindgren and T. Lepistö
- 851 Hydrogen permeation through mild steel in temperature range 20-500°C measured by hydrogen collection method F. W. H. Dean, T. M. Smeeton, and D. J. Fray
- 856 Continuous cooling transformation behaviour of Si-Mn and Al-Mn transformation induced plasticity steels P. A. Manohar, K. Kunishige, T. Chandra, and M. Ferry
- 861 Modelling of materials properties in duplex stainless steels X. Li, A. P. Miodownik, and N. Saunders
- 869 Effects of prestrain and strain rate on dynamic deformation characteristics of 304L stainless steel Part 1 – Mechanical behaviour W.-S. Lee and C.-F. Lin
- 877 Effects of prestrain and strain rate on dynamic deformation characteristics of 304L stainless steel Part 2 Microstructural study
 W-S Lee and C-F. Lin
- 885 Static restoration processes in warm rolled interstial free steel G. H. Akbari, C. M. Sellars, and J. A. Whiteman
- 892 Dynamic recrystallisation of as cast austenite in 18-8 stainless steel P. L. Mao, G. Y. Su, and K. Yang
- 897 Effects of milling intensity on amorphisation of Al-Fe mixed powders by mechanical alloying Y. Zou, S. Saji, and K. Kusabiraki
- 901 Phase and microstructural evolution during heating of mechanically milled Al/V₂O₅ composite powders D. L. Zhang, G. Adam, and A. G. Langdon
- 908 Joining of γ-TiAl to low alloy steel by electron beam welding J. Ding, J. N. Wang, Z. H. Hu, and D. Y. Ding
- 913 Age hardening of laser beam welded aluminium alloy 6082 using scandium containing filler metal O. Kessler, C. Prinz, F. Hoffmann, and P. Mayr
- 917 Prestraining effect on creep behaviour of nickel base X263 superalloy Y. H. Zhang and D. M. Knowles
- 924 Investigation of crystallisation kinetics of Bi_{0.5}Se_{99.5-x}Zn_x glasses by differential scaning calorimetry S. A. Khan, M. Zulfequar, and M. Husain
- 929 Studies on process optimisation of multistage atomisation Y.-Z. Liu
- 935 Drying conditions and their effect on ceramic shell investment casting process B. K. Chakrabarti
- 941 Short communication Characteristics of TiC dendrites in as solidified Ti-Al-C alloys S. Riaz, H. M. Flower, and D. R. F. West
- 945 Effects of composition and processing on development of grain coarsening resistance in cold forged and carburised steel M. J. Leap and E. L. Brown
- 959 Consolidation and mechanical behaviour of nanocrystalline iron powder D. P. Harvey II, R. Kalyanaraman, and T. S. Sudarshan
- 964 Influence of sulphur additions on impact properties of bainitic or martensitic steels
 N. Tsunekage and H. Tsubakino
- 973 Effect of strain on formation of ultrafine ferrite in surface of hot rolled microalloyed steel R. Priestner, Y. M. Al-Horr, and A. K. Ibraheem
- 981 Superplasticity in Fe₃Al(Cr)
 G. Frommeyer, C. Derder, and J. A. Jiménez

- 987 Simulation of bridge die extrusion using the finite element method I. Flitta and T. Sheppard
- 995 Study of effect of aging on martensitic transformation and tribological properties of TiNi alloy using DSC, neutron diffraction, and micromechanical probing techniques
 D. Y. Li, X. Ma, P. Mikula, and M. Vrana
- 1001 Microsegregation and dendrite arm coarsening in tin bronze E. A. Kumoto, R. O. Alhadell, and M. A. Martorano
- 1007 Effect of shear deformation on refinement of crystal grains T. Inoue, S. Torizuka, and K. Nagai
- 1016 Structure and mechanical properties of Mg-Zn-misch metal alloys solidified at different cooling rates M. Socjusz-Podosek and S. Wierbiński
- 1021 Controlling factors of microstructural evolution and corresponding deformation behaviour of Al-4Cu alloy in semisolid state E. de Freitas, M. Ferrante, and M. Suéry
- 1027 Continuous elimination of Al₂O₃ particles in molten aluminium using electromagnetic force E.-P. Yoon, J.-P. Choi, J.-H. Kim, T.-W. Nam, and S. Kitaoka
- 1036 Surface characteristics and wear performance of laser surface engineered iron oxide coatings on cast aluminium alloy A. Dasari, S. Nayak, R. D. K. Misra, O. O. Popoola, and N. B. Dahotre
- 1041 Denitrogenation during vacuum induction melting refining Ni base superalloy using CaO crucible J. P. Niu, K. N. Yang, X. F. Sun, T. Jin, H. R. Guan, and Z. Q. Hu
- 1045 Interfacial distribution of elements and fracture behaviour analysis of metal inert gas brazed joint with copper based filler metals
 Z.-S. Yu, Y. Qian, M.-F. Wu, F.-J. Wang, and K. Qi
- 1049 Microstructure and strength of vacum brazed joints of TiAl based alloy to 40Cr steel H. Liu and J. C. Feng
- 1052 Mechanical behaviour of graphite in fracture of austempered ductile iron P. Q. Dai, Z. R. He, W. Q. Wu, and Z. R. Mao
- 1057 Short communication Effects of dislocation on electronic work function of a metal surface W. Li and D. Y. Li
- 1063 High temperature phase chemistry of system Eu-Pd-O K. T. Jacob, K. T. Lwin, and Y. Waseda
- 1072 Instability of TiC particles in aluminium melts inoculated with an Al-Ti-C grain refiner A. Tronche, M. Vandyoussefi, and A. L. Greer
- 1079 Influence of TiO₂/Al ratio on reaction path during reactive infiltration of TiO₂ by molten Al I. Gheorghe and H. J. Rack
- 1085 High temperature, high strain rate embrittlement of Al-Mg-Mn alloy; evidence of cleavage of an fcc alloy A. Deschamps, S. Péron, Y. Bréchet, J.-C. Ehrström, and L. Poizat
- 1092 Microstructural characterization of nanoscale eutectics in melt spun Al-10Sr alloy Z.-H. Zhang, X.-F. Bian, and Y. Wang
- 1097 Metastable phase accompanying crystallisation of amorphous Al₈₈Ni₁₀C₅ alloy Y. Wang, X.-F. Bian, and Z.-H. Zhang
- 1101 Effect of nanocrystallisation on oxide composition of Ni-20Cr at 1000°C S.-J. Geng, F.-H. Wang, S.-L. Zhu, and Y. Li
- 1104 Prediction of mechanical properties of superplastic Inconel 718 using artificial neural networks Y. Huang and P. L. Blackwell
- 109 Molecular dynamics simulation and in situ TEM study of crack healing K. W. Gao, S. Li, L. J. Qiao, and W. Y. Chu
- 1115 Model for extracting phase transformation kinetics from dilatometry measurements for multistep transformations J. Z. Zhao, C. Mesplont, and B. C. De Cooman
- 1121 Empirical microstructure prediction method for combined intercritical annealing and bainitic transformation of TRIP steels M. De Meyer, J. Mahieu, and B. C. De Cooman
- 1133 Correlation of acoustic emission with stress intensity factor and plastic zone size for notched tensile specimens of AISI type 304 stainless steel
 C. K. Mukhopadhyay, T. Jayakumar, B. Raj, and K. K. Ray
- 1142 Effect of crystallographic texture on ultrasonic wave velocities in steels D. Artymowicz, B. Hutchinson, and M. Nogues
- 1147 Three-dimensional FEM analysis of work roll temperature field in hot strip rolling C. S. Li, X. H. Liu, G. D. Wang, and X. M. He
- 1151 Microstructural development in plasma jet forming of sheet steels C.-X. Pan, Y.-W. Chen, and A. T. Male
- 1156 Influence of reinforcement volume fraction of sliding wear behaviour of SHS derived ferrous based metal matrix composite C. C. Degnan and P. H. Shipway
- 1163 Model for prediction of procession window for austempered ductile iron S. H. Zahiri, E. V. Pereloma, and C. H. J. Davies
- 1168 Hall-Petch behaviour of 316L austenitic stainless steel at elevated temperatures K. K. Singh, S. Sangal, and G. S. Murty
- 1179 Studies on hydrogen embrittlement of nitrogen containing austenitic alloys M. Uhlemann, U. K. Chatterjee, S. Ningshen, H. J. Klauss, and F. Schneider
- 1188 Modelling, simulation, and graphical user interface for industrial gas carburising process G. S. Gupta, A. Chaudhari, and P. Vasanth Kumar

- 1195 Dynamic deformation and fracture properties of simulated weld heat affected zone of 9Cr-1Mo steel from instrumental impact tests
 A. Moitra, P. R. Sreenivasan, P. Parameswaran, and S. L. Mannan
- 1201 Anastysis of the reaction layer formed on steel strips during hot dip aluminising N. A. El-Mahallaway, M. A. Taha, and M. A. Shoeib
- 1209 Microstructural characteristics of gas tungsten arc synthesised Fe-Cr-Si-C coating O. Yilmaz, M. Özenbas, and M. H. Korkut
- 1217 Inverted blister test to measure adhesion energy of thermal oxide scales on metals or alloys J. Mougin, M. Dupeux, A. Galerie, and L. Antoni
- 1221 Influence of anodisation on the recycling of aluminium scrap M. N. C. Ijomah and A. I. Ijomah
- 1227 Atomic force microscopy of scratch damage in polypropylene
 A. Dasari, S. J. Duncan, and R. D. K. Misra
- 1235 Molecular level investigation into selective permeability of silicon based membranes with potential use in gas separation process T. M. Madkour, S. K. Mohamed, and A. K. Barakat
- 1241 Short communication Effect of pressing temperatures on strength of Al₈₅La₁₆Ni₅ alloys Z. K. Zhao, J. C. Li, and Q. Jiang
- 1245 Literature review Smart piezoelectric fibre composites L. J. Nelson
- 1257 Literature review Growth and characterisation of nitride nanostructures R. Oliver
- 1272 Influence of carbon content and carbide morphology of carbon steels on stress-strain curve in vicinity of yield point M. Akiyama, T Kuboki, K. Oikawa, K. Matsui, and K. Terada
- 1279 Modelling surface ridging in ferritic stainless steel R. D. Knutsen and N. J. Wittridge
- 1286 Numerical simulation of macrosegregation of indium phase in rapidly solidified Al-In hypermonotectic sheets J. J. Guo, Y. Liu, Y. Q. Su, J. Jia, H. S. Ding, and J. Z. Zhao
- 1293 Tribological behaviour and worn out surface analysis of hot extruded Al-Si-Pb alloys J. An, Y. Liu, Y. Liu, J. Wang, and B. Ma
- 1301 Origin of pre-peak in structure factors of liquid Cu-Al-Ni alloys X. M. Pan, X. F. Bian, J. Y. Qin, and W. M. Wang
- 1305 Role of dislocation density and structure in grain boundary segregation of phosphorus and carbon in model Fe-P-C alloy J. R. Cowan, H. E. Evans, R. B. Jones, and P. Bowen
- 1314 Growth mechanism of compound at interface of TC4/TC4 joint brazed with 72Ag-28Cu filler alloy M.-F. Wu, Z.-S. Yu, C.-Y. Jiang, and C. Liangl
- 1317 Effect of carbon content on mechanical properties of fully pearlitic steels C. M. Bae, C. S. Lee, and W. J. Nam
- 1322 Carbon partitioning during bainite transformation in low alloy steels Z. Ławrynowicz
- 1325 Mechanical properties of heat affected zone in bainitic high strength low alloy steel C. Liu, Z.-B. Zhao, and D. O. Northwood
- 1329 Effect of prior creep cavitation on brittle fracture in heat affected zone of ferritic steel weldments G. E. Smith, A. G. Crocker, P. E. J. Flewitt, and R. Moskovic
- 1335 Influence of temperature and plastic strain by cold working on grain coarsening behaviour of BS304S31 stainless steel M. Akiyama and Y. Neishi
- 1341 Properties of reacto-thermitically sintered stainless steel P. Jackson, C. C. Degnan, and J. V. Wood
- 1.347 Microstructural control of oxidation and corrosion resistant chromised nickel plated layers for Fe-Ni-Cr Alloys H. Fujikawa, H. Makiura, and S. B. Newcomb
- 1353 Correlation between microstructure and mechanical properties of reduced activation modified F-82H ferritic martensitic steel P. Fernández, M. Hernández-Mayoral, J. Lapeña, A. M. Lancha, and G. De Diego
- 1363 Low cycle elastoplastic properties of normalised and tempered 42CrMo4 steel R. Kunc, I. Prebil, T. Rodič, and J. Korelc
- 1369 Application of Barkhausen noise to biaxial residual stress measurements of welded tubes M. Lindgren and T. Lepistö
- 1377 Finite element simulations and experimental studies on inhomogeneous metal flow in aluminium extrusions with three-dimensional complex geometries
 Q. Li, C. Smith, C. Harris, and M. J. Jolly
- 1382 Suface coating on steel by pressure friction J. C. Li, M. Zhao, Q. Jiang, and J. Eckert
- 1385 Stress and strains analysis for multiple cold rolls progressive forming of channel section with outer edge Z.-W. Han, C. Liu, L.-Q. Ren, and J. Tong
- 1389 Strain inhomogeneity in hot axisymmetric compression test R. W. Evans and J. Scharning
- 1399 Application of rigid-plastic meso-damage constitutive theory to superplastic bulge forming L. Zhang, Y. Yin, M. Xue, and F. Takemasa
- 1408 Tensile fracture of HTPB based propellant specimens
 K. Renganathan, B. S. V. Rama Sarma, B. Nageswara Rao, and M. K. Jana

- 1413 Short communication Tensile anisotropy of strip cast and direct chill cast 5182 aluminium alloy X. M. Cheng and J. G. Morris
- 1419 Review Microwave initiated self-propagating high temperature synthesis of materials J.-H. Peng, J. Binner, and S. Bradshaw
- 1428 Microsegregation and its effects on quantity and morphology of secondary phases during solidification of Al-Fe-Si alloys B. Dutta and M. Rettenmayr
- 1435 Nucleation kinetics: runaway nucleation M. J. Stowell
- 1439 Internal variable approach to microstructural change in 7475 aluminium alloy during superplastic deformation W. Bang, T. K. Ha, and Y. W. Chang
- 1445 Investigation of secondary phase particles in spray deposited 7000 series aluminium alloys E. Salamci and R. F. Cochrane
- 1453 Influence of heat treatment processes on fatigue performance of particle reinforced aluminium alloys M. E. Fitzpatrick, J. E. Moffat, A. Dubois, F. Gregoire, and A. D. Tarrant
- 1458 Dimensional stability and thermal stress of 6061Al/SiC_w composite during thermal cycles C. H. Jiang and J. S. Wu
- 1461 Influence of heat treatment and particle shape on mechanical properties of infiltrated Al₂O₃ particle reinforced Al-2 wt-%Cu A. Miserez, S. Stücklin, A. Rossoll. C. San Marchi, and A. Mortensen
- 1471 Effect of cooling rate on microstructure of Ti-6Al-4V forging O. N. Senkov, J. J. Valencia, S. V. Senkova, M. Cavusoglu, and F. H. Froes
- 1479 Pack codeposition of Al and Cr to form diffusion coatings resistant to high temperature oxidation and corrosion for γ-TiAl Z. D. Xiang, S. R. Rose, and P. K. Datta
- 1485 Microstructure and oxidation resistance of rapidly solidified Ti₃Al-Si alloys A. Jazayeri-G., R. A. Buckley, and H. A. Davies
- 1494 Microstructure and thermal expansion of Ti₃SiC₂ S.-B. Li, L.-T. Zhang, and L.-F. Cheng
- 1497 Synchrotron X-ray study of micromechanics of Ti/SiC_T composites with fibres containing defects introduced by laser drilling S. A. McDonald, M. Preuss, E. Maire, J.-Y. Buffiere, P. M. Mummery, and P. J. Withers
- 1504 Advantages of rotation cylinder method for production of particle reinforced magnesium composites S. K. Kim and Y.-J. Kim
- 1507 Effect of dual-size particles on processing and properties of AZ91D/SiC_p magnesium matrix composites prepared by rotation cylinder method
 S. K. Kim and Y.-J. Kim
 4
- 1513 Evolution of textures in hot rolled Nb-Ti and V-Nb microalloyed steels R, D, K, Misra and J, P, Anderson
- 1517 Suppression of grain growth in dual phase steels J.-H. Park, Y. Tomota, and M.-Y. Wey
- 1524 Acoustic emission monitoring of bainitic and martensitic transformation in medium carbon steel during continuous cooling S. M. C. Van Bohemen, M. J. M. Hermans, and G. Den Ouden
- 1529 Modelling of Charpy energy in terms of normalisation heat treatment parameters M. V. Pereira, F. A. Darwish, and M. H. Kohler
- 1535 Experimental investigation on statistics of extremes for three-dimensional distribution of non-metallic inclusions S. Zhou, Y. Murakami, S. Beretta, and Y. Fukushima
- 1544 Tungsten inert gas surface modification of SAE 4140 steel M. Eroğlu and S. Önalp
- 1551 Sliding wear of various materials in molten zinc K. Zhang and L. Battiston
- 1561 Martensite transformation and work hardening of metastable austenite induced by abrasion in austenitic Fe-C-Cr-Mn-B alloy a TEM study
 X. L. Xu, Z. W. Yu, Y. Q. Ma, X. Wang, and Y. Q. Shi
- 1565 Organic fibre modified ceramic shell moulding for investment casting S. Jones, C. Yuan, and K. Lewis
- 1574 High speed steels for hot rolls with improved impact and thermal fatigue resistance A. Molinari, A. Tremea, M. Pellizzari, A. Biggi, and G. Corbo
- 1582 Experimental investigation on thermal wear of high speed steel rolls in hot strip rolling C. S. Li, X. H. Liu, G. D. Wang, and G. Yang
- 1585 Effect of Co⁶⁰ gamma ray irradiation for carbon fibre on interfacial properties in epoxy resin composites H. Y. Ma, Y. D. Huang, Z. Q. Zhang, and L. Shao
- 1589 Technical note Formation of SiC-AIN solid solution via high energy ball milling and subsequent heat treatment J.-L. Li, F. Li, and K. Hu

Book review

page 1061

Conference diary

pages 118, 234, 354, 471, 707, 944, 1062, 1244, 1417, 1593

